


Tolerances for backing flanges and flow liners on basis of DIN EN 1092-1

Nominal size over	up to	D_{21}	D_{23}	D_{22}	D_{20}			S_{21}		
					≤ 26	≤ 48	> 48	≤ 18	≤ 48	> 48
	500	± 3	± 3	± 1						
500	1200	± 5	± 5	$\pm 1,5$	$+1,5$	$+2,5$	$+4$	± 1	$\pm 1,5$	± 2
1200	1800	± 7	± 7							
1800		± 10	± 10	± 2						

Tolerances for rubber parts on basis of FSA-Technical Handbook *

Nominal size over	up to	D_1^*	D_3^*	D_2^*	D_{01}	LF Fabrication length *				S_1			Alignment of holes	
						≤ 150	≤ 300	≤ 600	> 600	≤ 10	≤ 15	> 15	LF ≤ 350	LF > 350
	550	± 5	± 6	± 5	± 2	± 5		$\pm 1\%$					± 3	± 5
550	1150	± 10	± 13											
1150	1750	$+10 / -12$	$+19 / -13$	± 6	± 2	± 6	± 10	$\pm 1,5\%$		± 2	± 3	± 4	± 4	± 6
1750		$+10 / -16$	$+25 / -14$											

The copying, distribution and utilization of this documents as well as the communication of its contents to others without expressed authorization is prohibited. Offenders will be held liable for the payment of damages.



Scale	Tolerances	Size
	QMV-15	A3

Expansion Joint
U110A UDJ



Reference no.:		
Drawing no.:		1 / 1
		Page