




8 | 7 | 6 | 5 | 4 | 3 | 2 | 1



A-A



Tolerances for backing flanges and flow liners on basis of DIN EN 1092-1

Nominal size over	up to	D ₂₁	D ₂₃	D ₂₂	D ₂₀			S ₂₁		
					<= 26	<= 48	> 48	<= 18	<= 48	> 48
500	500	± 3	± 3	± 1						
1200	1200	± 5	± 5	± 1,5	+ 1,5	+ 2,5	+ 4	± 1	± 1,5	± 2
1200	1800	± 7	± 7	± 2						
1800	1800	± 10	± 10	± 2						

Tolerances for rubber parts on basis of FSA-Technical Handbook *

Nominal size over	up to	D ₁ *	D ₃ *	D ₂ *	D ₀₁	LF Fabrication length *			S ₁		Alignment of holes			
						<= 150	<= 300	<= 600	> 600	<= 10	<= 15	> 15	LF <= 350	LF > 350
550	550	± 5	± 6	± 5	± 2	± 5	± 5	± 5	± 1 %	± 2	± 3	± 4	± 3	± 5
1150	1150	± 10	± 13	± 6		± 6	± 10	± 10	± 1,5 %				± 4	± 6
1150	1750	+ 10 / -12	+ 19 / -13	± 6										
1750	1750	+ 10 / -16	+ 25 / -14											

The copying, distribution and utilization of this documents as well as the communication of its contents to others without expressed authorization is prohibited. Offenders will be held liable for the payment of damages.

Expansion Joint
U110M IPB

ditec Dichtungstechnik GmbH
D-97318 Kitzingen
Tel. +49(0)9321/23070
www.ditec-adam.de

Reference no.: _____

Drawing no.: _____

1 / 1

Page _____

8 | 7 | 6 | 5 | 4 | 3 | 2 | 1